




**MOELLER**<sup>®</sup>  
marine products



**Fueling the Fun!**  
OPTIONS. VALUE. MOELLER!

What you have in mind, we  
build for your boat.

**MOELLER**<sup>®</sup>  
marine products



### **Quality**

Industry leading on-time delivery  
In-line quality assurance auditors  
ISO 9001:2015 Certification

### **Reliability**

Over 25 years and growing strong in Sparta, TN  
Helpful in-house technical/customer support  
Mastercraft Top Supplier of the Year 2016

### **Durability**

Rotationally molded, cross-linked polyethylene  
Produce up to 175,000 fuel tanks annually  
EPA compliant: permeation, evaporative, emission, anti-spitback



# Table of Contents

## Portable & Topside Fuel Tanks.....2

USA Portable Tanks.....	4
International Portable Tanks.....	5
Portable Tank Replacement Parts.....	6
Topside Tanks for EPA-Compliant Boats Built After 2011.....	8
Topside Tanks for International Use and for US Boats Built Before 2011.....	9

## Permanent Fuel Tanks..... 10

USA Permanent Tanks.....	12-19
--------------------------	-------

## Fuel Transport..... 20

Jerry Cans/Replacement Parts.....	21-22
The Drop N Fill.....	22
Gas Docks.....	23
Gas Dock Accessories.....	23
Gas Walkers.....	24
Fuel Accessories.....	24

## Installation & Replacement Parts.. 25

Senders & Gauges.....	26-27
Anti-Siphon Valves.....	28
Hose Barbs.....	28
Hose Menders.....	28
Fuel Pick-Ups.....	29
Thru-Hull Vents.....	29
Valve Components.....	29
Elbows.....	30
Installation Accessories.....	30

## Fuel Line Assemblies..... 31

Universal Primer Bulbs & Assemblies.....	33
Tank Fittings & Connectors.....	33
Engine Connectors.....	33
Bulk Hose.....	33
Fuel Line Assemblies & Components for Mercury, Evinrude, Yamaha & Honda.....	34-35

## Fuel Water Separators/Filters ..... 36

Water Separating Fuel Filters.....	37
Filter Replacement Parts.....	37-38
In-Line Fuel Filters.....	39

## Motor Flushers & Extractors ..... 40

Motor Flushers.....	41-42
Extractors.....	42
Extractor Accessories.....	42-43
Pumps.....	43

## Polyethylene Plastic Products.... 44

Seating.....	45
Swingback Coolers.....	46
Livewells.....	47

## Waste & Water Tanks..... 48

Moeller Water Tanks.....	49
Moeller Waste Tanks.....	50
Relocation Kits.....	50

## Paints..... 51

Engine Paint.....	53
Zinc Primers.....	53
Sandable Primer Paint.....	54
Color Vision Paint.....	54
Clear Coat Paint.....	54

## Battery Accessories..... 55

Battery Boxes.....	56-57
Battery Box Accessories.....	58
Battery Trays.....	58-59
Gauges.....	59
Cover Sets & Switches.....	59

## Miscellaneous Accessories..... 60

Drain Tubes & Accessories.....	61-62
Portable Potties.....	62
Outboard Motor Lock.....	62
Snap-Tite® / Turn-Tite® Bailer Plugs.....	63-64
Deck/Baitwell Plugs.....	64
PlugDock™.....	64
Air Chamber Plug.....	65
Auto Flapper Drain Plug Set.....	65
Replacement Plastic Drain Plugs.....	65
Fishing Rod Holder Sets.....	65
Transom Pad.....	65
Plastic Tiller Rope Grommet.....	65
Strap Line Mooring Snubber.....	65

## Planograms..... 66-71

## Marine Organizations & Regulatory Agencies..... 72

Moeller Marine made every effort to ensure the information in this catalog is correct. In the event that we have made any mistakes, we reserve the right to correct any error.



**MOELLER**<sup>®</sup>  
marine products

**Fueling the Fun!**

OPTIONS. VALUE. MOELLER!



# Portable and Topside Fuel Tanks

Moeller's reputation is built on innovative engineering, quality construction, and award-winning service.

Rely on Moeller to get precisely the fuel tank you need, regardless of when your boat was built.

# Anatomy of a Portable Tank



Defined by the EPA as tanks with a capacity of 12 gallons or less, **Portable Tanks** are used to convey fuel directly to the engine. Portable Tanks are not intended for permanent installation. Our Portable Tanks feature the same attention to detailed engineering and robust construction which set all our Moeller fuel tanks apart. Our tanks prevent the escape of hydrocarbons at the molecular level which makes them compliant with EPA emissions and permeation requirements. Constructed from seamless, thick-walled plastic, they are up to **30% tougher** than other brands.

## Other features:

- ✓ ABYC/NMMA/EPA/CARB Compliant
- ✓ Rotating fuel withdrawal
- ✓ Fuel reserve
- ✓ Sight gauge
- ✓ Cap tether
- ✓ Audible click on closure of cap
- ✓ EPA-compliant cap
- ✓ Two-year warranty



This logo indicates that the tank meets or exceeds EPA regulations for marine fuel systems emissions.

## Safe

Two-way vented cap safely releases system pressure.

## Reliable

Portable tanks feature two-year warranty.



## Durable

Seamless, thick-walled plastic is tougher than other brands.

## EPA-Compliant Portable Tanks



### 620003LP

#### 3 Gal/11L Ultra 3

16.60 in. L x 8.50 in. W x 9.60 in. H  
422 mm L x 216 mm W x 244 mm H

Replacement Pickup  
Replacement Cap  
Gauge

621002-10  
305994-10  
621001-10



### 620049LP

#### 6 Gal/23L Ultra 6

21.50 in. L x 13.18 in. W x 10.1 in. H  
546 mm L x 334.8 mm W x 257 mm H

Replacement Pickup  
Replacement Cap  
Gauge

621002-10  
305994-10  
621001-10



### 620040LP

#### 6 Gal/23L 6 Bow

18.67 in. L x 15.23 in. W x 10.97 in. H  
474.2 mm L x 386.8 mm W x 278.6 mm H

Replacement Pickup  
Replacement Cap  
Gauge

621003-10  
305994-10  
621001-10



### 630009LP

#### 9 Gal/34L

23.06 in. L x 14.25 in. W x 11.57 in. H  
586 mm L x 362 mm W x 294 mm H

Replacement Pickup  
Replacement Cap  
Gauge

621011-10  
305994-10  
621010-10



### 630012LP

#### 12 Gal/45L Moeller 12 Tall

22.75 in. L x 14.00 in. W x 13.95 in. H  
578 mm L x 356 mm W x 354 mm H

Replacement Pickup  
Replacement Cap  
Gauge

621007-10  
305994-10  
621006-10



### 630013LP

#### 12 Gal/45L Moeller 12 Low Profile

24.51 in. L x 17.76 in. W x 10.82 in. H  
623 mm L x 451 mm W x 275 mm H

Replacement Pickup  
Replacement Cap  
Gauge

621009-10  
305994-10  
621001-10

## International Portable Tanks



**620003**

**3 Gal/11L Ultra 3**

16.60 in. L x 8.50 in. W x 9.18 in. H  
422 mm L x 216 mm W x 233 mm H

Replacement Pickup  
Replacement Cap

621002-10  
621501-10



**620049**

**6 Gal/23L Ultra 6**

21.50 in. L x 13.18 in. W x 9.68 in. H  
546 mm L x 335 mm W x 246 mm H

Replacement Pickup  
Replacement Cap

621002-10  
621501-10



**630009**

**9 Gal/34L**

23.06 in. L x 14.06 in. W x 10.14 in. H  
586 mm L x 358 mm W x 295 mm H

Replacement Pickup  
Replacement Cap

621011-10  
305994-10



**630012**

**12 Gal/45L Tall**

22.75 in. L x 14.00 in. W x 13.54 in. H  
578 mm L x 356 mm W x 344 mm H

Replacement Pickup  
Replacement Cap

621007-10  
621501-10



**630013**

**12 Gal/45L Low**

24.51 in. L x 17.76 in. W x 10.41 in. H  
623 mm L x 451 mm W x 264 mm H

Replacement Pickup  
Replacement Cap


621009-10  
621501-10

**Important:** International portable tanks are not available for sale in the U.S.

## Portable Tank Replacement Parts



Part No.	Gauge assembly for:
<b>621001-10</b>	Ultra 3 Gal (620003, 620003LP), 6 Gal (620049, 620049LP), 6 Bow (620040LP), 9 Gal (630014LP)



Part No.	Pickup assembly for:
<b>621002-10</b>	Ultra 3 Gal (620003, 620003LP), 6 Gal (620049, 620049LP)
<b>621008-10</b>	Ultra 6 Bow (620040LP) & 9 Gal (630014LP)



**305994-10**  
EPA-approved Moeller Fuel Cap  
with tether



**035711-10**  
Topside Tank Hold-Down Straps  
72 in.



**621501-10**  
Manual Vent Gas Cap  
For use internationally and in boats built before 2011.



**305194**  
Cap with Gauge  
12.25 in.



**MOELLER**<sup>®</sup>  
marine products

# Topside Tanks = More Capacity.

**Need MORE  
than 12 gallon  
CAPACITY?**

**Topside Tanks** range in capacity from 14 to 24 gallons. Moeller produces topside EPA emissions-compliant tanks for use in the US and Canada, and an international version which is accepted in all other countries.



## **EPA-COMPLIANT**

Moeller Barrier Tanks are constructed with cross-linked polyethylene and UV-stabilized resin. They are designed to meet EPA permeation and emissions requirements. Each tank features a direct-sight gauge for convenient reading and our new EPA-cap.



## **INTERNATIONAL or Boats built before 2011**

Because countries outside the US and Canada do not require EPA compliance, non-EPA tanks are manufactured and available without the barrier layer. The international-style cap includes a direct-sight gauge for convenient reading.

**Tanks were specifically developed for use in Carolina Skiff, Boston Whaler, and Key West bench style, center console, pontoon, deck, and jon boat designs.**

## EPA-Compliant Topside Tanks

For Boats Built After 2011



### 031615BR

14 Gal/53L

43.00 in. L x 15.00 in. W x 9.22 in. H  
1092 mm L x 381 mm W x 234 mm H

Sender [A001050](#)  
Withdrawal [031615PU](#)  
(3/8" NPT x 1/4" NPT)



### 031818BR

15 Gal/57L

42.50 in. L x 14.75 in. W x 9.97 in. H  
1080 mm L x 375 mm W x 253 mm H

Sender [A001054](#)  
Withdrawal [031818PU](#)  
(3/8" NPT x 1/4" NPT)



### 031620BR

18 Gal/68L

28.00 in. L x 15.00 in. W x 14.60 in. H  
711 mm L x 381 mm W x 371 mm H

Sender [A001058](#)  
Withdrawal [031620PU](#)  
(3/8" NPT x 1/4" NPT)



### 031527BR

18 Gal/68L

28.00 in. L x 15.00 in. W x 14.61 in. H  
711 mm L x 381 mm W x 371 mm H

Sender [035754-10](#)



### 031626BR

22 Gal/83L

29.25 in. L x 19.00 in. W x 14.00 in. H  
743 mm L x 483 mm W x 356 mm H

Sender [A001058](#)



### 031526BR

24 Gal/91L

29.25 in. L x 19.00 in. W x 14.60 in. H  
743 mm L x 483 mm W x 371 mm H

Sender [A001058](#)

## International Toppide Tanks

### and for Boats Built Before 2011



#### 031615

**14 Gal/53L**

43.00 in. L x 15.00 in. W x 8.71 in. H

1092 mm L x 381 mm W x 221 mm H

\* Dimensions measured with cap

Cap 305185

Withdrawal 031615PU  
(3/8" NPT x 1/4" NPT)



#### 031818

**15 Gal/57L**

42.50 in. L x 14.75 in. W x 8.71 in. H

1092 mm L x 381 mm W x 221 mm H

\* Dimensions measured with cap

Cap 305186

Withdrawal 031818PU  
(3/8" NPT x 1/4" NPT)



#### 031620

**18 Gal/68L**

28.00 in. L x 15.00 in. W x 14.09 in. H

711 mm L x 381 mm W x 358 mm H

\* Dimensions measured with cap

Cap A000058

Withdrawal 031620PU  
(3/8" NPT x 1/4" NPT)



#### 031527

**18 Gal/68L**

28.00 in. L x 15.00 in. W x 14.74 in. H

711 mm L x 381 mm W x 374 mm H

\* Dimensions measured with cap

Cap A000058



#### 031626

**22 Gal/83L**

29.25 in. L x 19.00 in. W x 13.58 in. H

743 mm L x 483 mm W x 345 mm H

\* Dimensions measured with cap

Cap 305194



#### 031526


**24 Gal/91L**

29.25 in. L x 19.00 in. W x 14.09 in. H

743 mm L x 483 mm W x 358 mm H

\* Dimensions measured with cap

Cap 305194




# Permanent Fuel Tanks

Moeller Marine Products furnishes fuel systems or components to nearly every boat builder: from bass and ski boats to offshore salt water fishing. Since 2009, we have shipped more than 300,000 barrier tanks! Moeller tanks meet ABYC, EPA, USCG, ISO, CE, or other applicable standards, and we are represented on the ABYC fuel and vent committee.

That same quality and reliability go into every single product we make and sell.

# Quality. Reliability. Durability.



Tank height is less than overall height due to fill spout. Allow 3" for fittings.



## Permanent Tank Specifications

- ✓ Machined aluminum 3/8 in. withdrawal fitting with 360° swivel poplock for hook-up convenience.
- ✓ Ethanol and biodiesel-corrosion and pit-resistant.
- ✓ Complete with molded fill neck and withdrawal/vent fittings molded directly into the shell.
- ✓ ABYC-compliant fittings with seamless connections to rigid low-perm hoses.
- ✓ UV rating of 8. Temperature rating of -40°F to 176°F.
- ✓ Suitable for either gasoline or diesel use with appropriate return kit: **035724-10**.
- ✓ Hold-down grooves molded directly into tank shells for secure attachment with Moeller's Hold Down Kit: **035710**.
- ✓ Suitable as replacement tanks for boats built before 2011. For later-model boats, contact Moeller or the manufacturer for direction.

For boats manufactured after 2011, check out our line of Redi-Tanks at [moellermarine.com](http://moellermarine.com).

Redi-Tanks have already been tip-studied and are ready to install.

## Permanent Tanks

All permanent tanks feature a swivel pick-up



### 032512

#### 12 Gal/45L

24.50 in. L x 18.50 in. W x 9.75 in. H  
622 mm L x 470 mm W x 248 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032612

#### 12 Gal/45L

20.00 in. L x 14.00 in. W x 14.50 in. H  
508 mm L x 356 mm W x 368 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032513

#### 13 Gal/49L

32.00 in. L x 10.19 in. W x 12.94 in. H  
813 mm L x 259 mm W x 329 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032514

#### 14 Gal/53L

18.00 in. L x 11.75 in. W x 19.00 in. H  
457 mm L x 298 mm W x 483 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No



### 032515

#### 15 Gal/57L

17.75 in. L x 18.50 in. W x 15.25 in. H  
451 mm L x 470 mm W x 387 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No




### 032518

#### 17 Gal/65L

36.50 in. L x 18.25 in. W x 10.00 in. H  
927 mm L x 464 mm W x 254 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No




### 032618

#### 19 Gal/72L

39.00 in. L x 8.25 in. W x 20.50 in. H  
991 mm L x 210 mm W x 521 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No

## Permanent Tanks



### 032718

#### 19 Gal/72L

39.00 in. L x 8.25 in. W x 20.50 in. H  
991 mm L x 210 mm W x 521 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No



### 032819

#### 19 Gal/72L

32.00 in. L x 20.75 in. W x 12.31 in. H  
813 mm L x 527 mm W x 313 mm H  
Bracket Tie Down **035710**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032519

#### 19 Gal/72L

26.00 in. L x 16.00 in. W x 14.50 in. H  
660 mm L x 406 mm W x 368 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032619

#### 19 Gal/72L

18.50 in. L x 14.00 in. W x 20.75 in. H  
470 mm L x 356 mm W x 527 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No



### 032719

#### 19 Gal/72L

47.00 in. L x 10.25 in. W x 12.94 in. H  
1194 mm L x 260 mm W x 329 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032520

#### 20 Gal/76L

26.00 in. L x 11.75 in. W x 19.00 in. H  
660 mm L x 298 mm W x 483 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No

## Permanent Tanks

All permanent tanks feature a swivel pick-up



### 032818

#### 20 Gal/76L

58.00 in. L x 6.00 in. W x 17.50 in. H  
1473 mm L x 152 mm W x 445 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No



### 032522

#### 22 Gal/83L

22.00 in. L x 15.00 in. W x 19.92 in. H  
559 mm L x 381 mm W x 506 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No



### 032623

#### 23 Gal/87L

24.00 in. L x 20.00 in. W x 13.39 in. H  
610 mm L x 508 mm W x 340 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032624

#### 24 Gal/91L

51.00 in. L x 8.75 in. W x 20.63 in. H  
1295 mm L x 222 mm W x 524 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No
Starboard Side Withdraw	



### 032524

#### 24 Gal/91L

51.00 in. L x 8.75 in. W x 20.63 in. H  
1295 mm L x 222 mm W x 524 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No
Port Side Withdraw	



### 032525

#### 25 Gal/95L

47.00 in. L x 18.03 in. W x 10.25 in. H  
1194 mm L x 458 mm W x 260 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No

## Permanent Tanks



### 032527

#### 27 Gal/102L

36.50 in. L x 16.00 in. W x 14.50 in. H  
927 mm L x 406 mm W x 368 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032627

#### 27 Gal/102L

36.00 in. L x 11.81 in. W x 19.03 in. H  
914 mm L x 300 mm W x 483 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No



### 032528

#### 27 Gal/102L

49.00 in. L x 24.50 in. W x 11.90 in. H  
1245 mm L x 622 mm W x 302 mm H  
Bracket Tie Down **000210-4**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032629

#### 29 Gal/110L

23.00 in. L x 18.75 in. W x 19.67 in. H  
584 mm L x 476 mm W x 500 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002125</b>
Belly Tank	No



### 032529

#### 29 Gal/110L

43.00 in. L x 25.75 in. W x 13.15 in. H  
1092 mm L x 654 mm W x 334 mm H  
Bracket Tie Down **000210-4**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032631


#### 30 Gal/114L

32.00 in. L x 17.50 in. W x 15.31 in. H  
813 mm L x 445 mm W x 389 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No

## Permanent Tanks

All permanent tanks feature a swivel pick-up



### 032534

**32 Gal/122L**  
59.88 in. L x 25.75 in. W x 11.06 in. H  
1521 mm L x 654 mm W x 281 mm H  
Bracket Tie Down **000210-4**


Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032537

**35 Gal/133L**  
26.00 in. L x 20.50 in. W x 18.78 in. H  
660 mm L x 521 mm W x 477 mm H  
Bracket Tie Down **035710** or **300110**


Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032535

**35 Gal/133L**  
69.50 in. L x 16.00 in. W x 11.00 in. H  
1765 mm L x 406 mm W x 279 mm H  
Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032540

**39 Gal/148L**  
51.75 in. L x 28.00 in. W x 10.00 in. H  
1314 mm L x 711 mm W x 254 mm H  
Bracket Tie Down **000220-1** (supplied)

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032640

**40 Gal/151L**  
26.00 in. L x 20.50 in. W x 21.25 in. H  
660 mm L x 521 mm W x 540 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032640-1

**40 Gal/151L**  
26.00 in. L x 20.50 in. W x 21.25 in. H  
660 mm L x 521 mm W x 540 mm H  
Bracket Tie Down **035710** or **300110**

Diesel Return	Yes
No. Fuel Pickups	1
Sender	ESU Universal
Belly Tank	Diesel Return, 6-24in.
	No

## Permanent Tanks



### 032550

**50 Gal/189L**  
 45.00 in. L x 12.50 in. W x 24.75 in. H  
 1143 mm L x 318 mm W x 629 mm H  
 Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032552

**52 Gal/193L**  
 60.00 in. L x 24.00 in. W x 12.00 in. H  
 1524 mm L x 610 mm W x 305 mm H  
 Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032555-1

**55 Gal/208L**  
 51.00 in. L x 25.50 in. W x 15.50 in. H  
 1295 mm L x 648 mm W x 394 mm H  
 Bracket Tie Down Custom, unless  
**000210-4** or **000210-6**

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Reed Style 11.5 in. <b>395059-115S</b>
Belly Tank	Yes



### 032555

**55 Gal/208L**  
 51.00 in. L x 25.50 in. W x 15.50 in. H  
 1295 mm L x 648 mm W x 394 mm H  
 Bracket Tie Down Custom, unless  
**000210-4** or **000210-6**


Diesel Return	Yes
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032558

**58 Gal/208L**  
 44.00 in. L x 21.50 in. W x 18.75 in. H  
 1118 mm L x 546 mm W x 476 mm H  
 Bracket Tie Down **300110**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	No



### 032560

**60 Gal/227L**  
 62.00 in. L x 24.50 in. W x 13.75 in. H  
 1575 mm L x 622 mm W x 349 mm H  
 Bracket Tie Down **000210-4**

Diesel Return	No
No. Fuel Pickups	2
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes

## Permanent Tanks

All permanent tanks feature a swivel pick-up



### 032564

#### 64 Gal/242L

45.83 in. L x 27.89 in. W x 16.07 in. H  
1164 mm L x 708 mm W x 408 mm H  
Bracket Tie Down **000210-4**

Diesel Return	No
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032570

#### 70 Gal/265L

50.44 in. L x 24.74 in. W x 18.64 in. H  
1281 mm L x 628 mm W x 473 mm H  
Bracket Tie Down **300110**

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Reed Switch 15.5 In. <b>395059-1555S</b>
Belly Tank	Yes




### 032576

#### 76 Gal/299L

48.00 in. L x 27.75 in. W x 18.51 in. H  
1219 mm L x 705 mm W x 470 mm H  
Bracket Tie Down **300110** or **000210-4**

Diesel Return	No
No. Fuel Pickups	1
Sender	Reed Style 14.5 In. <b>395059-145S</b>
Belly Tank	Yes




### 032580

#### 80 Gal/303L

66.93 in. L x 26.77 in. W x 14.60 in. H  
1700 mm L x 680 mm W x 371 mm H  
Bracket Tie Down Custom

Diesel Return	Yes
No. Fuel Pickups	2
Sender	Reed Style 11.5 In. <b>395059-115S</b>
Belly Tank	Yes



### 032585

#### 85 Gal/322L

53.63 in. L x 34.75 in. W x 16.50 in. H  
1362 mm L x 883 mm W x 419 mm H  
Bracket Tie Down Custom

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Swing Arm <b>A002074</b>
Belly Tank	Yes



### 032590

#### 90 Gal/341L

57.50 in. L x 30.75 in. W x 17.06 in. H  
1461 mm L x 781 mm W x 433 mm H  
Bracket Tie Down Custom

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Reed Style 13.5 In. <b>395059-135S</b>
Belly Tank	Yes

## Permanent Tanks



### 032690

#### 90 Gal/341L

77.00 in. L x 31.00 in. W x 12.00 in. H  
1956 mm L x 787 mm W x 305 mm H  
Bracket Tie Down **000220-1** Supplied

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Reed Style
	9.5 In. <b>395059-095S</b>
Belly Tank	Yes



### 032699

#### 99 Gal/375L

56.00 in. L x 29.75 in. W x 17.25 in. H  
1422 mm L x 756 mm W x 438 mm H  
Bracket Tie Down Custom

Diesel Return	No
No. Fuel Pickups	1
Sender	Reed Style
	14.5 In. <b>395059-145S</b>
Belly Tank	Yes



### 032599

#### 99 Gal/375L

69.00 in. L x 23.56 in. W x 18.13 in. H  
1753 mm L x 598 mm W x 461 mm H  
Bracket Tie Down Custom

Diesel Return	No
No. Fuel Pickups	2
Sender	Reed Style
	15.5 In. <b>395059-155S</b>
Belly Tank	No



### 032111

#### 111 Gal/420L

75.00 in. L x 24.00 in. W x 18.50 in. H  
1905 mm L x 610 mm W x 470 mm H  
Bracket Tie Down Custom

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Reed Style
	15.0 In. <b>395059-150S</b>
Belly Tank	Yes




### 032126

#### 126 Gal/477L

54.00 in. L x 32.00 in. W x 21.25 in. H  
1372 mm L x 813 mm W x 540 mm H  
Bracket Tie Down Custom

Diesel Return	Yes
No. Fuel Pickups	1
Sender	Reed Style
	18.0 In. <b>395059-180S</b>
Belly Tank	No



### 032150

#### 150 Gal/568L

66.69 in. L x 33.44 in. W x 20.40 in. H  
1694 mm L x 849 mm W x 518 mm H  
Bracket Tie Down Custom  
unless **000210-4**

Diesel Return	No
No. Fuel Pickups	2
Sender	Reed Style w/ Deutsch connectors
	17.0 In. <b>395059-170SDC</b>
Belly Tank	Yes



# Fuel Transport

## When it comes to fuel transport, one size does not fit all.

Introducing the redesigned Gas Walker from Moeller: a fuel transport and delivery system constructed with your safety and convenience in mind.

The Gas Walker is a safe, cost-effective way to transport fuel to your boat, automobile, generator or ATV. The new ergonomic design and improved performance are based on suggestions from customers, dealers and other industry professionals. Manufactured from durable and lightweight high density polyethylene (HDPE), it is weather-, chemical- and mold-resistant.

Moeller's new Gas Walker is available in 29 gallon size. It is easy to maneuver when fully loaded, thanks to the user-friendly design, which includes sturdy, molded-in handles. See page 24.

**NEW**  
Design



### Other features include:

- ✓ Gravity-fed flow rate of 3.5 gals/minute
- ✓ Durable cast aluminum nozzle with brass shutoff valves to safely control fuel flow
- ✓ Ten ft. of 3/4 in hose with molded-in storage
- ✓ Electric static discharge grounding wire
- ✓ Manually vented gas cap with easy-grip ribs

### Safety First!

- ✓ Brass shutoff valve controls fuel flow
- ✓ Grounding wire reduces risk of shock
- ✓ Built-in storage prevents gas drips
- ✓ Extra-long hose eliminates unnecessary tugging
- ✓ Rolls smoothly to prevent tipping

## Fuel Transport - USA Jerry Cans



**1 Gallon**  
**085013**  
**3.8 Liters**  
CARB Gas Can  
0.90 lbs

Length	Width	Height
8.00 in.	5.90 in.	8.10 in.
203 mm	150 mm	206 mm



**2 Gallon**  
**085023**  
**7.6 Liters**  
CARB Gas Can  
1.30 lbs

Length	Width	Height
10.00 in.	7.10 in.	9.90 in.
254 mm	180 mm	252 mm



**5 Gallon**  
**085053**  
**18.9 Liters**  
CARB Gas Can  
2.80 lbs

Length	Width	Height
15.38 in.	8.13 in.	14.75 in.
391 mm	207 mm	375 mm



**5 Gallon**  
**085059**  
**18.9 Liters**  
CARB Kerosene Can  
3.10 lbs

Length	Width	Height
15.00 in.	8.50 in.	14.75 in.
381 mm	216 mm	375 mm



**5 Gallon**  
**085056**  
**18.9 Liters**  
CARB Diesel Can  
3.10 lbs

Length	Width	Height
15.00 in.	8.50 in.	14.75 in.
381 mm	216 mm	375 mm



**5.8 Gallon**  
**085060**  
**21.9 Liters**  
CARB Gas Can  
3.50 lbs

Length	Width	Height
15.50 in.	8.75 in.	15.50 in.
394 mm	224 mm	394 mm



**1.5 Gallon**  
**085310**  
**5.7 Liters**  
CARB Combo Can  
2.75 lbs

Length	Width	Height
11.75 in.	5.50 in.	12.50 in.
298 mm	140 mm	318 mm



**5 Gallon**  
**082300**  
**18.9 Liters**  
Water Can  
5 lbs

Length	Width	Height
15.25 in.	10.50 in.	14.50 in.
387 mm	266 mm	368 mm

## Jerry Can Replacement Parts

**085040**  
**Smart-Fill**  
**Replacement Spout**  
 .30 lbs.  
 For use with gasoline



Length	Width	Height
7.00 in.	1.25 in.	4.00 in.
178 mm	32 mm	102 mm

**085050**  
**Wedco Bagged Smart-Fill Spout**  
 .30 lbs.  
 For use with gasoline



Length	Width	Height
7.00 in.	1.25 in.	4.00 in.
178 mm	32 mm	102 mm

**085045**  
**Wedco Bagged Replacement Flex Spout**  
 .10 lbs.  
 NOT for use with gasoline



Length	Width	Height
7.00 in.	1.25 in.	4.00 in.
178 mm	32 mm	102 mm

## **NEW** the DROP N FiLL




A clean way to refuel!  
 Includes 4 ft. x 1 in. hose and clamp.  
 You drop a 5 gallon jerry can and fill your tank. The baffles keep the jerry can above the fuel level.

**730095**

Length	Width	Height
15.00 in.	8.50 in.	14.75 in.
381 mm	216 mm	375 mm

**HOW IT WORKS:**



“The DROP N FiLL makes our lives a whole lot easier.”

- Cobe & Tarah Mikacich  
 Wakeboarding Legends

## Gas Docks

All Gas Docks are gravity-fed



**15 Gallon**  
**520015**  
**57 Liters**  
Gas Dock  
32.00 lbs

Length	Width	Height
22.00 in.	16.00 in.	33.00 in.
559 mm	406 mm	838 mm



**25 Gallon**  
**520025**  
**95 Liters**  
Gas Dock  
38.00 lbs

Length	Width	Height
22.00 in.	16.00 in.	43.00 in.
559 mm	406 mm	1092 mm



**25 Gallon**  
**520026**  
**95 Liters**  
Gas Dock  
38.00 lbs

Length	Width	Height
22.00 in.	16.00 in.	43.00 in.
559 mm	406 mm	1092 mm

## Gas Dock Accessories



**520017**  
**Plastic Nozzle**  
.06 lbs  
For 15 gallon gas dock



**520020**  
**PVC Hose**  
8 ft. x 1.50 in. D



**520027**  
**Deluxe Dispensing Nozzle**  
3.10 lbs  
For 25 gallon gas dock



**520018**  
**Poly Wheel**  
8.00 in. D x 2.50 in. W  
For 15 gallon gas dock



**520028**  
**Steel Wheel**  
.25 lbs  
10.00 in. D x 3.00 in. W  
For 25 gallon gas dock

## Fuel Transport - Gas Walkers/Accessories



**73140T**  
**Steel Wheel and Pneumatic Tire**  
 10.25 in. OD x 3.50 in. W  
 For 29 gallon Gas Walker



**730001-10**  
**Bung Adapter**  
 For use with rotary hand pump



**730002-10**  
**Buttress Plug for Gas Walker**

**730090**  
**RP-5 Rotary Hand Pump**  
 14.2 lbs  
 For when your pumping location isn't suitable for gravity feed  
 26 rotations per gallon

Length	Width	Height
6.25 in.	5.38 in.	10.50 in.
159 mm	137 mm	267 mm



**29 Gallon**  
**730024**  
**109.77 Liters**  
 Gas Walker  
 43.00 lbs

Length	Width	Height
19.25 in.	18.50 in.	43.50 in.
489 mm	470 mm	1105 mm



## Fuel Accessories



**035771 (Gal.)**  
**035772 (L)**  
**Digital Flow Meter**

**730003-10**  
**Gas Walker Hose Strap**



**731005**  
**Hose & Nozzle Kit for GW14**  
 Length: 6.00 ft.

**730092 (with hose)**  
**730093 (pump only)**  
**730094 (with pipe)**  
**Handheld 12V DC Gas Pump**



**731006**  
**Hose & Nozzle Kit for GW29**  
 Length: 10.00 ft.

**731010T**  
**Nozzle**



**042907**  
**Universal Siphon Hose**  
 12.00 in. L x 1.00 in. W x .50 in. D  
 EZ Siphon Hose



# Installation & Replacement Parts



## **The Comfort of Moeller**

Now is not the time to worry about valves, connectors or clamps. Every single component we sell is certified for NMMA Type Accepted fuel system design, manufacture, installation or operation. So relax! Moeller is onboard.

## Installation/Replacement Parts



### Swingarm Mechanical

Swingarm Mechanical Sending Units gather fuel level information from a float which is read on the direct sight gauge (included).


- Direct Sight Gauge included
- Replacement Direct Sight Gauge available **035759-10**
- Conversion to dash-mounted gauge available **035760-10**
- Purchase mechanical sending unit based on tank depth



### Swingarm Electrical

Swingarm Electrical Sending Units gather fuel level information from a float which is read on dash-mounted.


- Manufactured from corrosion-resistant materials
- Float rotates for tank wall & baffle clearance
- Complete Kit includes dash mounted gauge: **035727-10**
- Purchase electrical sending units based on range of tank depth; adjust to correct length
- 1/4 in. ground spade terminal



### Swingarm Electrical Sending Unit with Diesel Return

Moeller's patent-pending design enables integration of the return line found on diesel (and some fuel injection) engines. The sender gathers fuel level information from a float which is read on a dash-mounted gauge.

- Manufactured from corrosion-resistant materials
- Purchase one size (12 to 24 in.) for adjustment during installation
- 1/4 in. spade terminal
- Dash-mounted gauge sold separately



### Universal Gas/Diesel

Designed for all types of marine vessels, the sender top-mounts in aluminum, plastic or stainless steel fuel tanks. The all-stainless steel construction resists corrosion and is unaffected by E-10 fuel.

- Three year limited warranty
- 1/4 in. NPT female thread with 3/8 in. barb
- 1/4 in. ground spade terminal
- Pre-bent 90° float arm
- Meets or exceeds NMMA and ABYC specifications
- Dash-mounted gauge sold separately



### Reed Array

The reed array sender, available with or without dash-mounted gauge, is designed for top-mounting in aluminum, plastic or stainless steel fuel tanks. The material provides superior corrosion protection, both inside and outside the tank. Black wire is ground.

- Three year limited warranty; limited lifetime warranty for kit, P/N **035794-10**.
- Fits 6 in. [101.6 mm] to 24 in. [609.6 mm] tank depths
- Pre-bent 90° float arm
- Dash-mounted gauge sold separately



### Reed Switch

Reed Switch senders dramatically reduce "slosh fluctuations" which are inherent with swingarm units. Designed for all types of marine vessels, the sender top-mounts in aluminum, plastic or stainless steel fuel tanks. Reed Switch materials (stainless steel with nitrile rubber float) provide superior corrosion protection, both inside and outside the tank. Black wire is ground.

- Suitable for gasoline, ethanol, diesel, bio-diesel and non-potable water
- Fits tanks with depth ranging from 6 in. [101.6 mm] to 60 in. [1524 mm]. To purchase, remember that sender length is one inch shorter than tank depth.

## Senders & Gauges

	<b>Tank Depth</b>
<b>035750-10</b>	7 1/2 in. 191 mm
<b>035751-10</b>	8 in. 203 mm
<b>035752-10</b>	10 in. 254 mm
<b>035753-10</b>	11 3/4 in. 300 mm
<b>035754-10</b>	12 in. 305 mm
<b>035755-10</b>	14 in. 356 mm
<b>035756-10</b>	16 1/4 in. 413 mm
<b>035757-10</b>	17 3/4 in. 451 mm
<b>035758-10</b>	22 in. 559 mm

	<b>Tank Depth</b>
<b>035722-10</b>	6-12 in. 152-305 mm
<b>035729-10</b>	12-24 in. 305-610 mm
<b>035725-10</b>	4-28 in. 102-685 mm
<b>035726-10</b>	4-28 in. 102-685 mm

Dash-mounted gauge sold separately

	<b>Tank Depth</b>
<b>035789-10</b>	6-24 in. 152-610 mm

	<b>Tank Depth</b>
<b>035724-10</b>	12-24 1/2 in. 152-610 mm

	<b>Tank Depth</b>
<b>035791-10</b>	6-24 in. 152-610 mm

<b>Complete kit</b>	6-24 in. 152-610 mm
<b>035794-10</b>	Complete kit includes:
	• Dash-mounted gauge
	• Limited lifetime warranty

	<b>Tank Depth</b>
<b>035773-10</b>	6 in. 142 mm
<b>035774-10</b>	7 in. 191 mm
<b>035769-10</b>	8 in. 203 mm
<b>035761-10</b>	9 in. 229 mm
<b>035762-10</b>	11 in. 254 mm
<b>035764-10</b>	13 in. 305 mm
<b>035765-10</b>	15 in. 356 mm
<b>035767-10</b>	18 1/2 in. 445 mm
<b>035768-10</b>	21 in. 553 mm
<b>035770-10</b>	23 in. 584 mm




**035759-10**  
**Replacement Direct Site Gauge**  
 (Direct Site Gauge is included on mechanical swing arm units)  
 1 5/8 in. diameter



**035760-10**  
**Conversion Capsule**  
 Converts fuel level reading from standard direct site gauge to electric dash-mounted gauge (33-240 ohms).

### All Moeller Sending Units feature:

- ✓ Calibration to 33-240 ohms
- ✓ 5-hole gasket and screws (also sold separately)
- ✓ Compatibility with dash-mounted gauge
- ✓ SAE 5 hole pattern



## Accessories:



**035728-10**  
**Universal 5-Hole Gasket**  
 Complete with 10/24 and 10/32 replacement screws and assorted washers.



**035727-10**  
**Dash Mounted Gauge**  
 33-240 ohms  
 12 Volt

### Notes:

- All swingarm readings are subject to fuel-slosh fluctuations
- All sending units must be one inch (25.4 mm) shorter than the tank depth
- Senders are suitable for gasoline, ethanol, diesel, bio-diesel and non-potable water; they are fire-rated and meet requirements of ISO 10088 & 8846 and ABYC H-24.

For packaged dimensions, detailed specs and installation instructions - go to [www.moellermarine.com](http://www.moellermarine.com)